

White Film self-adhesive 80

■ glossy 4250 - 80 µm

A special heat stabilized self-adhesive white glossy polyester film, with color copier receptive coating. Backing is designed to prevent jamming in most copiers and laser printers.

Sticks on boards and plates made of plastic, glass, metal or any other lacquered flat and smooth surfaces. For self-adhesive labels and indoor signage.

Suitable for color laser equipment with dry toner. Please refer to your device user manual.

Applications

- Labels

Advantages

- Brilliant color reproduction
- Good toner adhesion
- Resistant to scratches and lateral bending
- Sticks to any solid, dry, smooth and clean surfaces

White Film self-adhesive 80

■ glossy 4250 - 80 µm

List of Printers

Printer	Ink	Quality
Last update: 08.12.2011		

White Film self-adhesive 80

■ glossy 4250 - 80 µm

Physical Properties

Thickness (incl. adhesive layer)	80 µm	ISO 534
Smoothness Sheffield	45 +/- 30	TAPPI T538
Opacity	85%	TAPPI T425
Brightness	90	TAPPI T452

Recommended use and storage

Film can be used outdoor without lamination. However, we recommend to protect its surface to improve weathering resistance or if the film is subject to any mechanical influences. In this case you should use self-adhesive laminating foils.

If silicon is added, depending on the type of machine, this may influence the adherence of the laminating foil on the surface of the film. Make some initial tests on a sample sheet before further processing.

During gluing the temperature should not be below 15° C.

Shelf life minimum of 2 years from ship date when stored under ideal storage conditions.

The values provided on this datasheet are only for orientation.

Before using our media please check its compatibility for your printer and intended application. Technical specifications are subject to change, therefore we do not take responsibility for any misprints resulting from technically modified inks and/ or printers. 04.06.2012